SAFETY DATA SHEET
JLA Ultra Aluminium Dishwash Liquid
According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	JLA Ultra Aluminium Dishwash Liquid
Product number	8298/23550
UFI	UFI: MEYQ-2012-E005-VH10

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Dishwasher additive

1.3. Details of the supplier of the safety data sheet

Supplier	JLA Limited Meadowcroft Lane Halifax Road Ripponden West Yorkshire HX6 4AJ Tel: 0800 1422696 clean@jla.com

1.4. Emergency telephone number

Emergency telephone	JLA Limited: Tel: 07583 491032 (Mon - Fri 9am-5pm)
National emergency telephone number	NHS Direct 111 (GB) National Poisons Information Service Tel: +44 344 892 0111 (UK) - Medical Professionals Only National Poisons Information Centre Tel: +353 (01) 809 2566 (Ireland) - Healthcare Professionals only (24 hour service)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards	Not Classified
Health hazards	Skin Corr. 1B - H314 Eye Dam. 1 - H318
Environmental hazards	Not Classified

2.2. Label elements

Hazard pictograms

Signal word	Danger
Hazard statements	H314 Causes severe skin burns and eye damage.
Precautionary statements	P264 Wash contaminated skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor. P501 Dispose of contents/ container in accordance with national regulations.
Contains	potassium hydroxide

JLA Ultra Aluminium Dishwash Liquid

Detergent labelling	< 5% phosphonates
Supplementary precautionary statements	P260 Do not breathe vapour/ spray. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P321 Specific treatment (see medical advice on this label). P363 Wash contaminated clothing before reuse. P405 Store locked up.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

potassium hydroxide	3-5%
CAS number: 1310-58-3	EC number: 215-181-3

Classification
Met. Corr. 1 - H290
Acute Tox. 4 - H302
Skin Corr. 1A - H314
Eye Dam. 1 - H318

SODIUM HYDROXIDE	<1%
CAS number: 1310-73-2	EC number: 215-185-5

Classification
Met. Corr. 1 - H290
Acute Tox. 4 - H302
Skin Corr. 1A - H314
Eye Dam. 1 - H318

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Get medical attention if symptoms are severe or persist. Remove affected person from source of contamination.
Inhalation	Unlikely route of exposure as the product does not contain volatile substances. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Promptly get affected person to drink large volumes of water to dilute the swallowed chemical. Give milk instead of water if readily available. Get medical attention immediately.
Skin contact	Remove affected person from source of contamination. Remove contaminated clothing and rinse skin thoroughly with water. Chemical burns must be treated by a physician. Get medical attention promptly if symptoms occur after washing.
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue to rinse.

4.2. Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	This is unlikely to occur but symptoms similar to those of ingestion may develop.
Ingestion	May cause chemical burns in mouth and throat. May cause stomach pain or vomiting.

JLA Ultra Aluminium Dishwash Liquid

Skin contact	This product is corrosive. May cause serious chemical burns to the skin.
Eye contact	This product is corrosive. Severe irritation, burning and tearing. May cause blurred vision and serious eye damage. Corneal damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards	No unusual fire or explosion hazards noted.
Hazardous combustion products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

5.3. Advice for firefighters

Protective actions during firefighting	Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions	The product components are not classified as environmentally hazardous. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air). Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Absorb in vermiculite, dry sand or earth and place into containers. Wash thoroughly after dealing with a spillage. Inform authorities if large amounts are involved.

6.4. Reference to other sections

Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions	Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use.
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions	Keep above the chemical's freezing point to avoid rupturing the container. Keep container tightly closed, in a cool, well ventilated place.
Storage class	Corrosive storage.

JLA Ultra Aluminium Dishwash Liquid

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

potassium hydroxide

Short-term exposure limit (15-minute): WEL 2 mg/m³

SODIUM HYDROXIDE

Short-term exposure limit (15-minute): WEL 2 mg/m³
WEL = Workplace Exposure Limit.

dedcyl octyl glycoside (CAS: 68515-73-1)

DNEL	Workers - Dermal; Long term systemic effects: 595000 mg/kg bw/day Workers - Inhalation; Long term systemic effects: 420 mg/m³ Consumer - Oral; Long term systemic effects: 35.7 mg/kg bw/day Consumer - Dermal; Long term systemic effects: 357000 mg/kg bw/day Consumer - Inhalation; Long term systemic effects: 124 mg/m³
PNEC	Fresh water; 0.176 mg/l marine water; 0.0176 mg/l Intermittent release; 0.27 mg/l Sediment (Freshwater); 1.516 mg/kg dwt Sediment (Marinewater); 0.152 mg/kg dwt Soil; 0.654 mg/kg soil dw STP; 560 mg/l

SODIUM HYDROXIDE (CAS: 1310-73-2)

DNEL	Consumer - Inhalation; Long term local effects: 1 mg/m³ Workers - Inhalation; Long term local effects: 1 mg/m³ Workers - Dermal; Short term local effects: 2 mg/kg/day Workers - Inhalation; Short term local effects: 2 mg/m³

8.2. Exposure controls

Protective equipment

Appropriate engineering controls	Provide adequate ventilation if the airborne contamination exceeds occupational exposure limits
Eye/face protection	Safety glasses with side-shields (EN 166).
Hand protection	Chemical resistant PVC/Nitrilrubber gloves (to European standard EN 374 or equivalent). Thickness: 0,4 mm. Penetration time: >480 min (level 6). The selection of specific gloves for a specific application and time of use in a working area, should also take into account other factors on the working space, such as (but not limited to): other chemicals that are possibly used, physical requirements (protection against cutting/drilling, skill, thermal protection), and the instructions/specification of the supplier of gloves.
Other skin and body protection	Provide eyewash station and safety shower. Impervious footwear must be worn. Wear suitable protective clothing (EN14605)
Hygiene measures	Wash after use and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.
Respiratory protection	Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit.

JLA Ultra Aluminium Dishwash Liquid

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Yellow.
pH	pH (concentrated solution): 10.4-11.4
Relative density	1.09-1.15 @ 20°C
Solubility(ies)	Soluble in water.

9.2. Other information

Other information	Not available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	The following materials may react with the product: Acids. Oxidising agents. Reducing agents.

10.2. Chemical stability

Stability	Avoid the following conditions: Contact with oxidisers and reducing agents. Avoid contact with acids.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Will not polymerise. The following materials may react strongly with the product: Acids. Oxidising agents. Reducing agents.

10.4. Conditions to avoid

Conditions to avoid	Avoid contact with acids. Avoid contact with strong reducing agents. Avoid contact with strong oxidising agents.

10.5. Incompatible materials

Materials to avoid	Strong acids. Oxidising agents. Reducing agents.

10.6. Hazardous decomposition products

Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

Notes (oral LD_{50})	Based on available data the classification criteria are not met.
ATE oral (mg/kg)	13,883.1

Acute toxicity - dermal

Notes (dermal LD_{50})	Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC_{50})	Based on available data the classification criteria are not met.

Skin corrosion/irritation

Skin corrosion/irritation	Causes severe skin burns & eye damage

Serious eye damage/irritation

Serious eye damage/irritation	Corrosivity to eyes is assumed.

Respiratory sensitisation

Respiratory sensitisation	Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation	Based on available data the classification criteria are not met.

JLA Ultra Aluminium Dishwash Liquid

Germ cell mutagenicity

Genotoxicity - in vitro	Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	None of the ingredients are listed or exempt.

Reproductive toxicity

Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Aspiration hazard	Based on available data the classification criteria are not met.

Inhalation	May cause damage to mucous membranes in nose, throat, lungs and bronchial system. This is unlikely to occur but symptoms similar to those of ingestion may develop.
Ingestion	Swallowing concentrated chemical may cause severe internal injury. May cause chemical burns in mouth, oesophagus and stomach.
Skin contact	May cause serious chemical burns to the skin.
Eye contact	Causes severe burns. Splashes from the mixture may cause permanent eye damage
Acute and chronic health hazards	This product is corrosive. This product may cause skin and eye irritation. Prolonged contact may cause burns. May cause chemical eye burns. Contact with concentrated chemical may cause severe skin damage. Swallowing concentrated chemical may cause severe internal injury.
Route of exposure	Skin and/or eye contact Inhalation Ingestion.

Toxicological information on ingredients.

Sodium Bicarbonate

Acute toxicity - oral

Acute toxicity oral (LD_{50} mg/kg)	4,220.0
Species	Rat
ATE oral (mg/kg)	4,220.0

potassium hydroxide

Acute toxicity - oral

ATE oral (mg/kg)	500.0

Alanine, N,N-bis(carboxymethyl)-, trisodium salt

Acute toxicity - oral

Acute toxicity oral (LD_{50} mg/kg)	2,001.0
Species	Rat

JLA Ultra Aluminium Dishwash Liquid

ATE oral (mg/kg)	2,001.0
Acute toxicity - dermal	
Acute toxicity dermal (LD_{50} mg/kg)	2,001.0
Species	Rat
ATE dermal (mg/kg)	2,001.0

dedcyl octyl glycoside

Acute toxicity - oral	
Acute toxicity oral (LD_{50} mg/kg)	2,001.0
Species	Rat
ATE oral (mg/kg)	2,001.0
Acute toxicity - dermal	
Acute toxicity dermal (LD_{50} mg/kg)	2,001.0
Species	Rabbit
ATE dermal (mg/kg)	2,001.0
Specific target organ toxicity - repeated exposure	
STOT - repeated exposure	NOAEL 100 mg/kg bw/day, Oral, Rat

SODIUM HYDROXIDE

Acute toxicity - oral	
Acute toxicity oral (LD_{50} mg/kg)	501.0
Species	Rabbit
ATE oral (mg/kg)	501.0

SECTION 12: Ecological information

Ecotoxicity: Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.

12.1. Toxicity

Toxicity: Based on available data the classification criteria are not met.

Ecological information on ingredients.

potassium hydroxide

Acute aquatic toxicity	
Acute toxicity - fish	LC_{50}, 96 hours: 44 (24h) mg/l, Fish

Alanine, N,N-bis(carboxymethyl)-, trisodium salt

Acute aquatic toxicity	
Acute toxicity - fish	LC_{50}, 96 hours: >100 mg/l, Brachydanio rerio (Zebra Fish)
Acute toxicity - aquatic invertebrates	EC_{50}, 48 hours: >100 mg/l, Daphnia magna

JLA Ultra Aluminium Dishwash Liquid

Acute toxicity - aquatic plants	EC_{50}, 72 hours: >100 mg/l, Scenedesmus subspicatus
Acute toxicity - microorganisms	EC_{20}, 0.5 hour: >1000 mg/l, Activated sludge
Acute toxicity - terrestrial	LC_{50}, 14 days: 142 mg/kg, Eisenia Fetida (Earthworm)
Chronic aquatic toxicity	
Chronic toxicity - fish early life stage	NOEC, 28 days: >=100 mg/l, Oncorhynchus mykiss (Rainbow trout)
Chronic toxicity - aquatic invertebrates	NOEC, : >=100 mg/l, Daphnia magna

dedcyl octyl glycoside

Acute aquatic toxicity	
Acute toxicity - aquatic invertebrates	EC_{50}, : >100 mg/kg, Daphnia

SODIUM HYDROXIDE

Acute aquatic toxicity	
Acute toxicity - fish	LC_{50}, 96 hours: 35-189 mg/l, Fish LC_{50}, 96 hours: 45.5 mg/l, Oncorhynchus mykiss (Rainbow trout) LC_{50}, 96 hours: 125 mg/l, Freshwater fish
Acute toxicity - aquatic invertebrates	EC_{50}, 48 hours: 40-240 mg/l, Daphnia magna

12.2. Persistence and degradability

Persistence and degradability	The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in The Detergents Regulations (as amended).

12.3. Bioaccumulative potential

Bioaccumulative potential	The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

Mobility	The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects	None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods	Dispose of in accordance with Local Authority regulations as special waste according to The Control of Special Waste Regulations 1996.

EURAL Code

SECTION 14: Transport information

General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

JLA Ultra Aluminium Dishwash Liquid

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	Health and Safety at Work etc. Act 1974 (as amended). The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"]. EH40/2005 Workplace exposure limits.
Drug Precursors Regulation (273/2004)	
Danish product registration number	
Danish national regulations	

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

Inventories

EU - EINECS/ELINCS

None of the ingredients are listed or exempt.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways. RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail. IATA: International Air Transport Association. ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air. IMDG: International Maritime Dangerous Goods. CAS: Chemical Abstracts Service. ATE: Acute Toxicity Estimate. LC50: Lethal Concentration to 50 % of a test population. LD50: Lethal Dose to 50% of a test population (Median Lethal Dose). EC_{50}: 50% of maximal Effective Concentration. PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative.

JLA Ultra Aluminium Dishwash Liquid

Revision comments	This is the first issue.
Revision date	05/04/2024
Revision	0
SDS number	8298/23550
Hazard statements in full	H290 May be corrosive to metals. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.